



# LP-1 series (Ver.1.6)

## Thermal Label Printing Scale

- Up to 4000 PLU Capacity
- Up to 1000 Message (ingredient)
- 54 Preset Keys
- 30 Standard Label Formats
- Manager Program (PC)
  - Logo Image Printing
  - 6 Free Format Label Storage
  - Various Barcode Format



**CAS**  
S · C · A · L · E

# LP-1 series (Ver.1.6)

## Thermal Label Printing Scale

### FEATURES

- Memory Capacity : 4000PLU, 1000Message
- PLU Data Items : Commodity Name , Message Item No., Tare Weight, Unit Price, Group Code
- Printing Items : Commodity Name, Message Packed-on Date, Sell-by Date, Unit Price, Weight Total Price, Store Name & Address, Serial No. Time, PLU No., Group Code
- 54 Preset Keys for Frequent Transaction Items
- Easy Programming with Wide Keyboard
- Pre-pack Mode for Automatic Weighing/Labeling
- Printing Detailed Report for Each Item
- Wide Tray and Clear Display Board
- High-Speed and Low-Noise Thermal Barcode Printer
- Free Format Label Design
  - Bar Code : IAN8, I2of5, UPC13A, UPC13A2, UPC13A5, EAN8A2, EAN8A5, EAN13, EAN13A2, EAN13A5



Pole Display Type

### SPECIFICATIONS

Model	LP series
Weighing Capacity	6 × 0.002kg, 15 × 0.005kg, 30 × 0.01 kg
Display Digit	5 / 6 / 7 (Weight / Unit Price / Total Price)
External Interface	RS 232C(Standard), TCP/IP (Option)
Measurement Type	Load Cell
Printing Type	Thermal Print
Preset Data	4000PLU, 1000 Message (50 Cher × 8 Line)
Label Size	58 × 30mm ~ 58 × 100mm
Power Source	AC 110 / 120 / 220 / 240V, 50 / 60Hz
Power Consumption	Max. 100W
Operating Temperature	-10 °C ~ +40 °C
Platter Size (mm)	400(W) × 245(D)
Dimensions (mm)	410(W) × 430(D) × 197(H)
Product Weight	13kg

### OPTIONS

- TCP/IP
- Pole Display
- PC Manager Program
- Dual Range
- Interface Cable



<http://www.cas.co.kr>

Australian Importer/distributor:



142 Wicks Road  
North Ryde NSW 2113  
[www.goodson.com.au](http://www.goodson.com.au)


### LABEL FORMATS

(50% Of Original Size)



### DIMENSIONS

Unit:mm



2004. 9